Recording Restrictive Practice Usage in ODC for Mechanical Restraint

This information sheet provides practitioners, service providers and disability support workers with information about reporting of Restrictive Practice usage in the Online Data Collection system (ODC) for Mechanical Restraint. Restrictive Practice usage information is required to be reported to the Department each month. Details about the use of Mechanical Restraint are to be recorded in ODC for each time that Mechanical Restraint is used as a Restrictive Practice within the month.

Recording the use of Mechanical Restraint in ODC

Each use of Mechanical Restraint is to be recorded as a separate Restrictive Practice instance of use in ODC. Mechanical Restraint can be recorded for both episodic and routine usage.

An example of Mechanical Restraint

Rory is 25 years of age and has started to scratch his arms, legs and face until they bleed. He has many scars on his body due to scratching in the past. He rents a house with three other adults and they have 24 hours support from staff of a service. When Rory's parents could no longer provide support to Rory, Rory's brother became his formal guardian for decisions by the Queensland Civil and Administrative Tribunal.

To prevent Rory from scratching, his brother tells staff that in the past his parents and school placed Rory in gloves. The gloves had Velcro that held the gloves around his wrist making it impossible for Rory to remove them. This seems the only option to prevent Rory from harming himself.






Reporting Routine Mechanical Restraint in ODC

Logon to ODC to display the *Online Data Collection* page:

- 1. **Select** Service user hyperlink to display the Search Service User page.
- 2. Enter the Service User's details.
- 3. Select 'Search' button.
- 4. **Select** from the search result the Service User's <u>Surname</u> hyperlink to display the *Service Users Details* page.
- 5. **Select** Restrictive Practice Summary from the Service User menu to display the *Restricted Practice Summary* page.
- 6. **Select** the Service Outlet where the Restricted Practice occurred.
- 7. Select Add Routine Restrictive Practice Usage hyperlink.

Note this example shows no previous recording of Restrictive Practice Usage and this is the first Usage recorded for the Service User and the Service Outlet. This is the only time that Mechanical Restraint for the Service User and Service Outlet is to be entered. Every other time an instance of use is added to the existing "Mechanical Restraint" Restrictive Practice Type, so that all Usage is reported under the same Restrictive Practice Type. This allows trending of usage so it can be determined if this Restrictive Practice is being eliminated or reduced in Usage.




Page | 2 Date: March 2015 Version: 1.0





- 8. **Select** Mechanical Restraint for the Add a new Restrictive Practice type.
- 9. **Enter** the following details:
 - a. Device Gloves/Mittens. (If not listed, select Other from the drop list and provide the details in the adjoining field *If Other, please specify.)*
 - b. Location Other. (If not listed, select Other from the drop list and provide the details in the adjoining field *If Other, please specify.*)
 - c. Start Date 01/12/2014.
 - d. End Date 31/12/2014.
 - e. Total use in typical 24-hour period 10.00 (e.g.: 14.50 for 14 Hours and 30 minutes).
 - f. Behaviour Posing Risk of Harm to Self Or Others Scratching.
 (Record this as the main behaviour that was presented and the behaviour led to the use of the Restricted Practice.)
 - g. Injury Harm to self.
 (Injury is only required to be entered when an injury was sustained as a result of using the Restrictive Practice.)
- 10. Select the 'Add' button.



Page | 3 Date: March 2015 Version: 1.0





An example of Mechanical Restraint


Rebecca is a 22-year-old woman with an intellectual disability. Rebecca has a soft toy she carries with her at all times. If the soft toy is misplaced Rebecca becomes distressed and starts to suck on her hands. This has led to significant injury to her hands. In order to prevent her from sucking on her hands, Rebecca wears gloves on her hands until the soft toy is located.

Reporting Episodic Mechanical Restraint in ODC

Logon to ODC to display the *Online Data Collection* page:

- 1. **Select** Service user hyperlink to display the Search Service User page.
- 2. Enter the Service User's details.
- 3. Select 'Search' button.
- 4. **Select** from the search result the Service User's <u>Surname</u> hyperlink to display the *Service Users Details* page.
- 5. **Select** Restrictive Practice Summary from the Service User menu to display the *Restricted Practice Summary* page.
- 6. **Select** the Service Outlet where the Restricted Practice occurred.
- 7. Select Add Episodic Restrictive Practice Usage hyperlink.

Note this example shows no previous recording of Restrictive Practice Usage and this is the first Usage recorded for the Service User and the Service Outlet. This is the only time that Mechanical Restraint for the Service User and Service Outlet is to be entered. Every other time an instance of use is added to the existing "Mechanical Restraint" Restrictive Practice Type, so that all Usage is reported under the same Restrictive Practice Type. This allows trending of usage so it can be determined if this Restrictive Practice is being eliminated or reduced in Usage.




Page | 4 Date: March 2015 Version: 1.0





- 8. **Select** Mechanical Restraint for the Add a new Restrictive Practice type.
- 9. **Select** Gloves/Mittens for the Device. (If not listed, select Other from the drop list and provide the details in the adjoining field *If Other, please specify.*)
- 10. Select Add new instance of use hyperlink
- 11. Enter the following details:
 - a. Start Date 18/12/2014.
 - b. Start Time 13:00.
 - c. End Date 18/12/2014.
 - d. End Time 15:30.
 - e. Location Lounge. (If not listed, select Other from the drop list and provide the details in the adjoining field *If Other, please specify.)*
 - f. Behaviour Posing Risk of Harm to Self Or Others Scratching.
 (Record this as the main behaviour that was presented and the behaviour led to the use of the Restricted Practice.)
 - g. Injury Harm to self.
 (Injury is only required to be entered when an injury was sustained as a result of using the Restrictive Practice.)
- 12. Select the Save hyperlink.



Page | 5 Date: March 2015 Version: 1.0



